

# Setting Trends



*new formats.  
myriad finishes.  
appealing designs.*

**Di Terra**  
Setting Trends >>>>  
Surfaces | Adhesives | Bathware

VITRIFIED FLOOR SURFACES

# Di Terra

Surfaces for a spectrum of spaces



## Di Terra

Aesthetics plus good sense.

Every **Di Terra** product is made of rich, earthy raw materials and crafted using the latest technology in the industry.

Similarly, every **Di Terra** product is designed to be aesthetically pleasing. And is selected with love, care, & diligence. The effort that goes into carefully curating a range to offer you the widest selection in terms of design and price is akin to childbirth; joyful in spite of the pain.

Brand **Di Terra** is committed to environmental protection and adopts all possible green measures to contribute to a safer earth for generations to come.



## Di Terra

Enjoy Di Experience

**Di Terra** would give you the thrill of creating spaces to energize yourself, entertain your family, impress your friends or elevate work performance to a new level. The creativity and energy imbued in each **Di Terra** tile is sure to give any activity a perfect mood-lift.

**Di Terra** is committed to deliver a quality product range supported by a well-oiled operation and a service team eager to meet any challenge in providing a top-class customer experience.

## Di Terra

All Weather Tile Portfolio

- (1) Full Body Vitrified
- (2) Glazed Vitrified
- (3) Semi Vitrified Tiles
- (4) Ceramic

**Di Terra's** Utility Range addresses every possible requirement for home interiors. Which means that there is a tile customized for every specific use; bathroom, kitchen, bedroom, living room, drawing room, outhouse wall elevation, parking and more.

The list is exhaustive and unending, but with innovations surfacing continuously, the range of special purpose products grows with every passing day.

## PRODUCT TYPE / CATEGORY

- |                                 |                |
|---------------------------------|----------------|
| VITRIFIED / FULLY PORCELAIN     | GLAZED SURFACE |
| SEMI-VITRIFIED / SEMI PORCELAIN | DOUBLE CHARGED |
| CERAMIC WALL TILES              | FULL BODY      |
| CERAMIC FLOOR TILES             | COLOUR BODY    |

## PRODUCT FINISH

- |         |                                    |            |
|---------|------------------------------------|------------|
| CARVING | HIGH GLOSS POLISHED - DARK COLOURS |            |
| FROST   | HIGH GLOSS POLISHED                |            |
| VELVET  | POLISHED - GLOSS                   |            |
| LAPATO  | SATIN / SMOOTH                     |            |
| SUGAR   | MATT                               | STRUCTURED |

## PRODUCT APPLICATIONS

- |              |      |       |
|--------------|------|-------|
| WALL / FLOOR | WALL | FLOOR |
|--------------|------|-------|

## RANDOMNESS IN DESIGN / SHADE

- |                       |                       |
|-----------------------|-----------------------|
| V1 UNIFORM APPEARANCE | V3 MODERATE VARIATION |
| V2 SLIGHT VARIATION   | V4 HUGE VARIATION     |

## PACKING DETAILS

- |               |                           |
|---------------|---------------------------|
| UNITS PER BOX | SQM AREA COVERAGE PER BOX |
|---------------|---------------------------|

## OTHERS FEATURES

- |                  |                            |
|------------------|----------------------------|
| DIGITAL PRINTING | RECTIFIED EDGES            |
| ENDLESS          | NUMBER OF DESIGNS / SHADES |

## SIZES

- 1200x1800 mm**  
Scintillating slabs
- 800x1600 mm**  
Exotic mini slabs
- 600x1200 mm**  
Stylish surfaces
- 200x1200 mm**  
Natural wood planks
- 600x600 mm**  
Perfect square
- 400x400 mm**  
Solid parking
- 300x300 mm**  
Solid parking
- Full Body Tiles**  
**600x1200, 600x600 mm**  
Built for heavy traffic
- Technical Specifications**

## Pages

- 01-20
- 21-36
- 37-52
- 53-58
- 59-64
- 65-68
- 69-72
- 73-80
- 81-86

\* Product colours in the catalogue are as accurate as printing process allows. Actual product may also vary due to continuous product improvements. Please check actual product sample before making final selection. Di Terra reserves the right to introduce, without any notice any modifications deemed necessary.

**1200  
X  
1800  
mm**

## Scintillating Slabs

Seamless, beautiful and stylish appearance in a larger format. Vitrified tiles for huge commercial complexes, public places, hotels and luxury residential areas.

Available in Carving, Frost, High Gloss Polished, Gloss Polished and Matt finishes to suit different spaces.

W: SELENITE TAUPE & F: SELENITE DOVE



**Di** SELENITE TAUPE  
1200 x 1800 mm



**Di** SELENITE DOVE  
1200 x 1800 mm



**Di** SELENITE BLACK  
1200 x 1800 mm




**Di** TUNDRA GREY  
1200 x 1800 mm





W & F: FROST BIANCO GIULIA

**Di FROST BIANCO GIULIA**  
1200 x 1800 mm



**Di MARMOREAL TAUPE**  
1200 x 1800 mm



*Frost Surface*

**Di FROST AUGUSTUS BIANCO**  
1200 x 1800 mm



**Di OLIVIAN MARFIL TAUPE**  
1200 x 1800 mm



*Frost Surface*

**Di FROST GENEVA GREY**  
1200 x 1800 mm



**Di CALACATTA LINCON GOLD**  
1200 x 1800 mm



# Dark High Gloss Surface

**Di GREY GENEVA HG**  
1200 x 1800 mm



**Di NORDIC BRECICA NIGRA**  
1200 x 1800 mm



# Dark High Gloss Surface



W & F: GREY GENEVA HG



## Dark High Gloss Surface

## High Gloss Surface

**Di** VOLTERRA SILVER

1200 x 1800 mm



**Di** MISTRAL BEIGE

1200 x 1800 mm



**Di** SILVENIA BRESCICA

1200 x 1800 mm



**Di** CREAM MISTO

1200 x 1800 mm



High Gloss Surface



F: PERSIAN ONYX

High Gloss Surface

**Di PERSIAN ONYX**  
1200 x 1800 mm



**Di BIANCO AUGUSTUS HG**  
1200 x 1800 mm



# High Gloss Surface

**Di IZMIR MARBLELLA**  
1200 x 1800 mm



**Di MARCUS STONE**  
1200 x 1800 mm



**Di GRIC HAMILCAR**  
1200 x 1800 mm



**Di CATALONIA BEIGE**  
1200 x 1800 mm



# High Gloss Surface

**Di CAROLINA MARMI WHITE**  
1200 x 1800 mm



**Di CAROLINA MARMI CREAMA**  
1200 x 1800 mm



**Di GIULIA BIANCO**  
1200 x 1800 mm



**Di INTENSE STATUARIO WHITE**  
1200 x 1800 mm




Gloss Surface

Matt Surface

**Di** BABYLON BEIGE  
1200 x 1800 mm



**Di** CALDIA CALACATTA  
1200 x 1800 mm



**Di** GIZA DARK BROWN  
1200 x 1800 mm



**Di** CORENO PERLATO CREAM  
1200 x 1800 mm





**800  
X  
1600  
mm**

## **Exotic smart slabs**


Gorgeous look on an expanded canvas, made to suit showrooms, shopping malls, offices, high-end residential premises which add glamour to lifestyles.

Available in Carving, Velvet, High Gloss Polished, Gloss Polished and Matt finishes for myriad applications.

W: FIOR DI BOSCO WHITE & F: FIOR DI BOSCO VERDE

## Carving Endless Surface

**Di CALACATTA DORATO**  
800 X 1600 MM



**Di CARVING INTENSE CALACATTA GOLD**  
800 X 1600 MM



**Di CARVING BRECCIA INGENIOUS**  
800 X 1600 MM



## Carving Surface

**Di CALACATTA EXTREMO**  
800 X 1600 MM



**Di GLEN GREY**  
800 X 1600 MM



**Di VIBRANT MARFIL GREY**  
800 X 1600 MM



## Carving Surface

**Di FIOR DI BOSCO WHITE**  
800 X 1600 MM



**Di FIOR DI BOSCO VERDE**  
800 X 1600 MM



**Di OASIS BEIGE**  
800 X 1600 MM



## High Gloss Endless Surface






## High Gloss Endless Surface

**Di** HG CALACATTA INTENSE GOLD

800 X 1600 MM



**Di** INGENIOUS BRECCIA HG

800 X 1600 MM



**Di** JULIAN MARVEL TAN

800 X 1600 MM




## Velvet Surface




F: VELVET MARBIER GRIGIO

## Velvet Surface

**Di VELVET ALGERIA BIANCO**  
800 X 1600 MM



**Di VELVET STATURIO VENETO**  
800 X 1600 MM



**Di VELVET MARBIER GRIGIO**  
800 X 1600 MM




## High Gloss Surface

**Di LILAC SILVER**  
800 X 1600 MM



**Di ALGERIA CREAM**  
800 X 1600 MM



**Di SIBERIA BIANCO**  
800 X 1600 MM



# High Gloss Surface



F: LA MAISON BIANCO

# High Gloss Surface


**Di CRACKLE BRECCIA SILVER**  
800 X 1600 MM



**Di LA MAISON BIANCO**  
800 X 1600 MM



**Di RAVINE BEIGE**  
800 X 1600 MM



## High Gloss Surface

**Di PERLINO CLASSICA CREAM**

800 X 1600 MM




**Di CALACATTA GRANDE GOLD**

800 X 1600 MM



**Di THUNDER BEIGE**


800 X 1600 MM



## High Gloss Surface


**Di MIRAGE NERO**

800 X 1600 MM



**Di VIENNA CLASSICO GREY**

800 X 1600 MM



**Di VIENNA CLASSICO BEIGE**

800 X 1600 MM



# Matt Surface



W: CITADEL ASH & F: CITADEL BIANCO

# Matt Surface



**Di** CITADEL BEIGE  
800 X 1600 MM



**Di** CITADEL BIANCO  
800 X 1600 MM



**Di** CITADEL ASH  
800 X 1600 MM



**600  
X  
1200  
mm**

## **Stylish** surfaces

The most popular and convenient fit for every mid-size space. Neither too large nor too small, these tiles are just the perfect size. Being a first pick for designer fraternity, Di Terra offers host of choices in this size.

Available in Carving, Lapato, High Gloss Polished, Standard Polished, Structure and Matt finishes for varied uses.

W: BRITISH WILLIAM LIGHT GREY & F: BRITISH WILLIAM DARK GREY

## Carving Surface

**Di SWAMPY MARVEL WHITE**  
600 X 1200 MM



**Di PALERMO TIMELESS WHITE**  
600 X 1200 MM



**Di CEYLON EBONY RED**  
600 X 1200 MM




**Di CEYLON EBONY CEDAR**  
600 X 1200 MM




**Di BRITISH WILLIAM DARK GREY**  
600 X 1200 MM




**Di BRITISH WILLIAM LIGHT GREY**  
600 X 1200 MM



**Di LEVANTO BROWN**  
600 X 1200 MM




**Di CRYSTAL ORO CLAG**  
600 X 1200 MM



## Carving Surface

**Di IPEROS ICE BLUE**  
600 X 1200 MM




**Di NEO SATVARIO WHITE**  
600 X 1200 MM



**Di CALACATTA VAGIL ROSATO**  
600 X 1200 MM




**Di QUARTZ FLAKES WHITE**  
600 X 1200 MM



## Vibrant Surface

**Di VOLGA BLUE**  
600 X 1200 MM




**Di LAVA BROWN**  
600 X 1200 MM



**Di IRIS ONICE GREEN**  
600 X 1200 MM



**Di EXUMA BLUE**  
600 X 1200 MM



# High Gloss Surface




W & F: NERO MARQUINA

# High Gloss Surface


**Di NERO MARQUINA**  
600 X 1200 MM




**Di SAINT LAURENT CHESTNUT**  
600 X 1200 MM



**Di RIFT NEGRO**  
600 X 1200 MM




**Di MARMOR BLEND DORATO**  
600 X 1200 MM




**Di CARBONICA BLACK**  
600 X 1200 MM / VIBRANT



**Di CARBONICA BIANCO**  
600 X 1200 MM



**Di PORTORO VENERE**  
600 X 1200 MM



**Di DYNA ANTIQUO BEIGE**  
600 X 1200 MM







W: LIVONICA LIGHT GREY & F: LIVONICA DARK GREY

**Di LIVONICA DARK GREY**

600 X 1200 MM



**Di LIVONICA LIGHT GREY**

600 X 1200 MM



**Di DIANO ROYALE BEIGE**

600 X 1200 MM




**Di NOCHE TRAVERTINE**

600 X 1200 MM




**Di MARIANA GREY**

600 X 1200 MM




**Di MARIANA WHITE**

600 X 1200 MM




**Di DECENT DIANO BEIGE**

600 X 1200 MM



**Di ONICE WONDERLAND**

600 X 1200 MM



Gloss Surface

**Di ALBANIA SMOKE**  
600 X 1200 MM




**Di ALBANIA GRIGIO**  
600 X 1200 MM



**Di ALBANIA BEIGE**  
600 X 1200 MM



**Di CANBERRA BEIGE**  
600 X 1200 MM



**Di CANBERRA TAUPE**  
600 X 1200 MM



**Di CANBERRA BROWN**  
600 X 1200 MM



**Di ICY BIANCO**  
600 X 1200 MM



**Di CANNA MARBELLA WHITE**  
600 X 1200 MM



Gloss Surface



W & F: CANNA MARBELLA WHITE

## Gloss Surface

**Di CREMA MARFIL EL COTO**  
600 X 1200 MM




**Di ANTONIO WHITE**  
600 X 1200 MM




**Di TALOS GREY**  
600 X 1200 MM



**Di COBALT STONE**  
600 X 1200 MM




**Di TABRIZ DOVE**  
600 X 1200 MM




**Di TABRIZ GRIS**  
600 X 1200 MM



**Di TABRIZ TAUPE**  
600 X 1200 MM



**Di SEPIAN STATUARIO**  
600 X 1200 MM



## Gloss Surface



W & F: CREMA MARFIL EL COTO

*Matt Surface*




W: MULTI-MOZAIC CARBON & F: STARK GREY

*Matt Surface*

**Di MOZART LIGHT GREY**  
600 X 1200 MM




**Di MOZART DARK GREY**  
600 X 1200 MM




**Di TACTILE BIANCO**  
600 X 1200 MM



**Di MULTI-MOZAIC CARBON**  
600 X 1200 MM



**Di HORIZON NOIR**  
600 X 1200 MM



**Di STARK GREY**  
600 X 1200 MM



**Di MULTI-GRAIN SLATE**  
600 X 1200 MM



**Di MULTI-GRAIN BISQUE**  
600 X 1200 MM



## Matt Surface


**Di LANDSCAPE AZUL**  
600 X 1200 MM




**Di LANDSCAPE COPPER**  
600 X 1200 MM



**Di LANDSCAPE NERO**  
600 X 1200 MM




**Di LANDSCAPE BRUNO**  
600 X 1200 MM



**Di LANDSCAPE TAUPE**  
600 X 1200 MM



**Di SANTO SLATE**  
600 X 1200 MM



**Di NATURAL TEAK**  
600 X 1200 MM



**Di BEAVER OAK**  
600 X 1200 MM



## Matt Surface



W: LANDSCAPE COPPER & F: LANDSCAPE TAUPE



**200  
X  
1200  
mm**

## **Natural** wood planks

Fascinating look, matchless beauty of rectangular strips for swimming pool deck, facades, gazebo, elevation, interior wall, bedroom floor, hotels and resorts. Perfect replacement of wooden flooring.

Available in matt and structured finishes to give an authentic wooden look.

F: WELSH TIMBER BEIGE

Matt Surface

**Di FIERY WOOD**  
200 X 1200 MM / MATT



**Di BURMESE TEAK**  
200 X 1200 MM / MATT



**Di Balsa Wood Gris**  
200 X 1200 MM / MATT



**Di BEACH WOOD HONEY**  
200 X 1200 MM / MATT



**Di WOOD FABRICANO**  
200 X 1200 MM / MATT



**Di BLENDED TIMBER BEIGE**  
200 X 1200 MM / MATT



**Di LEGNO COPPER**  
200 X 1200 MM / MATT



**Di LEGNO BEIGE**  
200 X 1200 MM / MATT



## Matt & Structured Surface

**Di CELTIS WOOD TAN**  
200 X 1200 MM / MATT



**Di VICTORIAN TIMBER**  
200 X 1200 MM / MATT



**Di WELSH TIMBER BEIGE**  
200 X 1200 MM / STRUCTURED



**Di WELSH TIMBER ASH**  
200 X 1200 MM / STRUCTURED



## Structured Surface

**Di JAVA WOOD DARK TAN**  
200 X 1200 MM / STRUCTURED



**Di JAVA WOOD HONEY**  
200 X 1200 MM / STRUCTURED



**Di SAPELE WOOD BROWN**  
200 X 1200 MM / STRUCTURED



**Di PITCH PINE BEIGE**  
200 X 1200 MM / STRUCTURED





**600  
X  
600  
mm**

**Perfect square**

Just perfect for every mid-size area application, available in multiple designs be it marble, stone, wood or geometric. Its value for money proposition makes it first choice for builders, contractors and home makers.

Available in Gloss Polished and matt finishes.

F: ONYX ESTEEM

Glossy Surface

**Di SYONA BROWN**  
600 X 600 MM




08  
faces

**Di CREMA ROYALE**  
600 X 600 MM



08  
faces

**Di BLITZEN TAN**  
600 X 600 MM



04  
faces

**Di STYLO ASH**  
600 X 600 MM




08  
faces

**Di ONYX ESTEEM**  
600 X 600 MM



04  
faces

**Di SEPIAN STATUARIO**  
600 X 600 MM




08  
faces

**Di SANDCREEK CREMA**  
600 X 600 MM




08  
faces

**Di BOTTO BEIGE**  
600 X 600 MM



08  
faces

**Di STATUARIO NATURAL**  
600 X 600 MM



08  
faces

**Di ALBANIA BEIGE**  
600 X 600 MM



08  
faces

**Di ALBANIA SMOKE**  
600 X 600 MM



08  
faces

**Di ALBANIA GRIGIO**  
600 X 600 MM



08  
faces




Glossy Surface



F: BLITZEN TAN

## Gloss Surface

**Di CANBERRA BEIGE**  
600 X 600 MM



**Di CANBERRA BROWN**  
600 X 600 MM



**Di CANBERRA TAUPE**  
600 X 600 MM




**Di LIVONICA LIGHT GREY**  
600 X 600 MM



**Di LIVONICA DARK GREY**  
600 X 600 MM




**Di HAMBURG SILVER**  
600 X 600 MM



**Di ERAMOSIA NATURAL**  
600 X 600 MM




**Di ICY BIANCO**  
600 X 600 MM




**Di DECENT DIANO BEIGE**  
600 X 600 MM



**Di TABRIZ DOVE**  
600 X 600 MM



**Di TABRIZ TAUPE**  
600 X 600 MM



**Di TABRIZ GRIS**  
600 X 600 MM



## Matt Surface

**Di LANDSCAPE TAUPE**  
600 X 600 MM




**Di LANDSCAPE COPPER**  
600 X 600 MM



**Di LANDSCAPE BRUNO**  
600 X 600 MM



**Di LANDSCAPE AZUL**  
600 X 600 MM



**Di LANDSCAPE NERO**  
600 X 600 MM



**Di CONCRETE BIANCO**  
600 X 600 MM




**Di MULTI-GRAIN BROWN**  
600 X 600 MM




**Di MULTI-GRAIN GREY**  
600 X 600 MM




**Di MULTI-MOZAIC**  
600 X 600 MM



**Di MOZART LIGHT GREY**  
600 X 600 MM



**Di MOZART DARK GREY**  
600 X 600 MM



**Di HORIZON NOIR**  
600 X 600 MM



**400  
X  
400  
mm**

**Solid parking**

Sturdy enough to withstand exterior environment and traffic, a blend of stone, wooden, rustic design and pattern in a durable vitreous body. Suitable for small and mid-size areas like balconies, terrace, porch, veranda, gazebo, parking, garden path & wash areas.

Available in plain and structured finish to suit outdoor applications.


F: TRECCIA BROWN

## Matt & Structured Surface

**Di BRICK WOOD FUSION**  
400 X 400 MM / STRUCTURED



**Di TRECCIA BROWN**  
400 X 400 MM / STRUCTURED




**Di AGRA FORT RUST**  
400 X 400 MM / STRUCTURED




**Di BEACH SAND LIGHT**  
400 X 400 MM / STRUCTURED



**Di BEACH SAND DARK**  
400 X 400 MM / STRUCTURED



**Di BEACH SAND BLEND**  
400 X 400 MM / STRUCTURED



**Di SINTRA CREAM**  
400 X 400 MM / STRUCTURED




**Di SINTRA BEIGE**  
400 X 400 MM / STRUCTURED




**Di SAN MARCO FUSION**  
400 X 400 MM / STRUCTURED



**Di NEXOS GREY**  
400 X 400 MM / STRUCTURED



**Di NEXOS CARBON**  
400 X 400 MM / STRUCTURED



**Di TERNET FUSION**  
400 X 400 MM / STRUCTURED



## Matt & Structured Surface


**Di DUNA SAND**  
400 X 400 MM / MATT




**Di DUNA BRONZE**  
400 X 400 MM / MATT




**Di KREIS RUST**  
400 X 400 MM / STRUCTURED




**Di TOPOLA MOSAIC CAMEL**  
400 X 400 MM / MATT



**Di TOPOLA MOSAIC COCOA**  
400 X 400 MM / MATT




**Di CODOL WOOD**  
400 X 400 MM / STRUCTURED



**Di CONVEN GREY**  
400 X 400 MM / STRUCTURED




**Di DECK WOOD ALMOND**  
400 X 400 MM / STRUCTURED



**Di PRAZA BROWN**  
400 X 400 MM / STRUCTURED



**Di SILESIA GREY**  
400 X 400 MM / STRUCTURED



**Di SILESIA RUST**  
400 X 400 MM / STRUCTURED



**Di ESAGONO RUST**  
400 X 400 MM / STRUCTURED



**300  
X  
300  
mm**

**Solid parking**

Beauty on a small scale, well-built to sustain exterior areas with mid traffic conditions, the size has one significant advantage - it can be laid with minimum wastage. Ideal for balcony, porch, terrace, veranda, portico, entrances, gazebo, wash areas and swimming pool sides.

Available plain matt finish and structured matt surface finish.

F: STREAKS SMOKE & STREAKS GREY

# Matt & Structured Surface

**Di SHARDS BIANCO**  
300 X 300 MM / STRUCTURED



**Di SHARDS TAUPE**  
300 X 300 MM / STRUCTURED



**Di SHALE CREAM**  
300 X 300 MM / STRUCTURED



**Di SHALE BEIGE**  
300 X 300 MM / STRUCTURED



**Di LASH CEMENT**  
300 X 300 MM / STRUCTURED



**Di LASH SLATE**  
300 X 300 MM / STRUCTURED



**Di CLOBBER ASH**  
300 X 300 MM / STRUCTURED



**Di CLOBBER CHARCOAL**  
300 X 300 MM / STRUCTURED



**Di STINGER BEIGE**  
300 X 300 MM / STRUCTURED




**Di STINGER RUST**  
300 X 300 MM / STRUCTURED



**Di STREAKS SMOKE**  
300 X 300 MM / STRUCTURED



**Di STREAKS GREY**  
300 X 300 MM / STRUCTURED



**Di VINTAGE BLUE**  
300 X 300 MM / STRUCTURED



**Di VINTAGE BROWN**  
300 X 300 MM / STRUCTURED



**Di SAINT MARK**  
300 X 300 MM / STRUCTURED



**Di BURANO FUSION**  
300 X 300 MM / STRUCTURED




**Di PAVER BLEND**  
300 X 300 MM / STRUCTURED



**Di HEXART**  
300 X 300 MM / STRUCTURED



**Di COBALT STONE**  
300 X 300 MM / STRUCTURED



**Di GRAVEL**  
300 X 300 MM / STRUCTURED



F: PAVER BLEND

**Full-body**  
**600 x 600**  
**600 x 1200**  
mm

**Built** for heavy traffic

Among the toughest ever ceramic material with homogeneous composition through out the body to withstand all kind of heavy footfall on the surface. Technically superior tiles also has 16 mm thickness tiles for garden area, parking, public places

Available in matt, polished, structured and lapato finishes.


W & F: ATACAMA VERDE STRUCTURED



## Full Body Tiles

**Di ATACAMA BIANCO**

600 X 1200 MM / LAPATO



**Di ATACAMA CHARCOAL**

600 X 1200 MM / LAPATO




**Di ATACAMA VERDE**

600 X 1200 MM / LAPATO




**Di ATACAMA NERO**

600 X 1200 MM / LAPATO




**Di ATACAMA BIANCO**

600 X 1200 MM / MATT




**Di ATACAMA CHARCOAL**

600 X 1200 MM / MATT




**Di ATACAMA VERDE**

600 X 1200 MM / MATT



**Di ATACAMA NERO**

600 X 1200 MM / MATT



## Full Body Tiles




W & F: ATACAMA VERDE STRUCTURED

## Full Body Tiles

### Di ATACAMA BIANCO

600 X 1200 MM / POLISHED



### Di BLONDE

600 X 1200 MM / MATT




### Di ATACAMA VERDE

600 X 1200 MM / POLISHED




### Di ATACAMA NERO

600 X 1200 MM / POLISHED



### Di ATACAMA BIANCO

600 X 1200 MM / STRUCTURED



### Di ATACAMA CHARCOAL

600 X 1200 MM / STRUCTURED




### Di ATACAMA VERDE

600 X 1200 MM / STRUCTURED



### Di ATACAMA NERO


600 X 1200 MM / STRUCTURED



## Full Body Tiles

### Di ATACAMA CHARCOAL

600 X 600 MM / MATT



### Di ATACAMA CHARCOAL

600 X 600 MM / STRUCTURED




### Di BLONDE

600 X 600 MM / MATT



### Di ATACAMA VERDE

600 X 600 MM / MATT



### Di ATACAMA VERDE

600 X 600 MM / STRUCTURED




### Di ATACAMA VERDE

600 X 600 MM / POLISHED



### Di ATACAMA NERO

600 X 600 MM / MATT




### Di ATACAMA NERO

600 X 600 MM / STRUCTURED




### Di ATACAMA NERO

600 X 600 MM / POLISHED




### Di ATACAMA BIANCO

600 X 600 MM / MATT



### Di ATACAMA BIANCO

600 X 600 MM / STRUCTURED




### Di ATACAMA BIANCO

600 X 600 MM / POLISHED






**Di RESOLUTE BIANCO**  
600 X 600 MM / STRUCTURED MATT




**Di RESOLUTE CREMA**  
600 X 600 MM / STRUCTURED MATT




**Di RESOLUTE CEMENTO**  
600 X 600 MM / STRUCTURED MATT



**Di RESOLUTE GREY**  
600 X 600 MM / STRUCTURED MATT



**Di RESOLUTE CHARCOAL**  
600 X 600 MM / STRUCTURED MATT



**RESOLUTE VERDE**  
600 X 600 MM / STRUCTURED MATT



**Di RESOLUTE MUSTARD**  
600 X 600 MM / STRUCTURED MATT



**16 mm**  
THICKNESS

F: RESOLUTE CEMENTO & CHARCOAL

## Technical Specifications

GVT / 1200 x 1800 mm / 800 x 1600 / 600 X 1200 / 600 x 600 mm

PROPERTIES	TEST METHOD	IS 15622:2017 GROUP - B I a	Di Terra Value
<b>DIMENSION &amp; SURFACE QUALITY</b>			
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.15%
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
<b>PHYSICAL PROPERTIES</b>			
Water Absorption	IS 13630 Part-2	Avg. ≤ 0.08 %, Individual - 0.1 %	Avg. ≤ 0.05 %
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm, Ind.-32 N/mm	Avg. 38 N/mm
Breaking strength	IS 13630 Part-6	Thickness < 7.5mm - 700N Thickness ≥ 7.5mm - 1300N	Thickness < 7.5mm - 700N Thickness ≥ 7.5mm - 1500N
Abrasion Resistance (PEI Groups II III IV V)	IS 13630 Part-11	Min. Class II	Min. Class II
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
Frost Resistance	IS 13630 Part-10	Resistant	No damage
Linear Thermal Expansion	IS 13630 Part-4	6X10 <sup>-6</sup> K <sup>-1</sup> Max.	6x10 <sup>-6</sup> K <sup>-1</sup> Max.
<b>CHEMICAL PROPERTIES</b>			
Resistance to Household Chemical	IS 13630 Part-8	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

PACKING DETAILS					
DIMENSION (MM)	BOX				
	Tiles/Box	Coverage/Box (Sq. Ft.)	Coverage/Box (Sq. Mtrs.)	Thickness	Approx Box Weight in Kgs.
1200x1800	2	46.50	4.32	9.0 mm	91.0
800x1600	2	27.56	2.56	9.0 mm	52.5
600x1200	2	15.50	1.44	8.8 mm	27.5
600x600	4	15.50	1.44	8.5 mm	26.5

## Technical Specifications

Full Body / 600 X 1200 mm / 600 X 600 mm / 600 X 600 mm (16 mm Thickness)

PROPERTIES	TEST METHOD	IS 15622:2017 GROUP - B I a	
<b>DIMENSION &amp; SURFACE QUALITY</b>			
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.1%	± 0.1%
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 3.0%
Straightness of Sides (%)	IS 13630 Part-1	± 0.1%	± 0.1%
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.1%	± 0.1%
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.20%
Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
<b>PHYSICAL PROPERTIES</b>			
Water Absorption	IS 13630 Part-2	Avg. ≤ 0.08% Individual - 0.1 %	Avg. ≤ 0.05 %
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm Ind.-32 N/mm	Avg. 40 N/mm
Breaking strength	IS 13630 Part-6	Thickness < 7.5mm - 700N Thickness ≥ 7.5mm - 1300N	Thickness < 7.5mm - 700 N Thickness ≥ 7.5mm - 1500N / 16mm-3800N
Abrasion Resistance (Unglazed Tiles)	IS 13630 Part-11	Max. 145 mm	Max. 125 mm
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
Bulk Density	IS 13630 Part-2	Min. 2.2 g/cc	Min. 2.2 g/cc
Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min.
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
Frost Resistance	IS 13630 Part-10	Resistant	No Damage
Linear Thermal Expansion	IS 13630 Part-4	6X10 <sup>-6</sup> K <sup>-1</sup> Max.	6x10 <sup>-6</sup> K <sup>-1</sup> Max.
<b>CHEMICAL PROPERTIES</b>			
Resistance to Household Chemical	IS 13630 Part-8	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

PACKING DETAILS					
DIMENSION (MM)	BOX				
	Tiles/Box	Coverage/Box (Sq. Ft.)	Coverage/Box (Sq. Mtrs.)	Thickness	Approx Box Weight in Kgs.
600x1200	2	15.50	1.44	10.5 mm	32
600x600	4	15.50	1.44	10.0 mm	30
600x600 (16 mm)	2	7.75	0.72	16.0 mm	26

## Technical Specifications

### GVT Exterior Floor / Parking / 400 x 400 mm / 300 x 300 mm

PROPERTIES	TEST METHOD	IS 15622:2017 GROUP - B I b	Di Terra Value
<b>DIMENSION &amp; SURFACE QUALITY</b>			
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.15%
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be from visible surface defects	Min. of 95 % of tiles shall be from visible surface defects
<b>PHYSICAL PROPERTIES</b>			
Water Absorption	IS 13630 Part-2	Avg. 0.08 ≤ E% ≤ 3%, Individual - 3.3 % max.	Less than 2%
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 30 N/mm, Ind.-27 N/mm	Avg. 35 N/mm
Breaking strength	IS 13630 Part-6	Thickness ≥ 7.5mm - 1100N	Thickness ≥ 7.5mm - 1800N
Abrasion Resistance (PEI Groups II III IV V)	IS 13630 Part-11	Min. Class II	Min. Class II
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
Frost Resistance	IS 13630 Part-10	Resistant	No damage
Linear Thermal Expansion	IS 13630 Part-4	7X10 <sup>-6</sup> K <sup>-1</sup> Max.	6X10 <sup>-6</sup> K <sup>-1</sup> Max.
<b>CHEMICAL PROPERTIES</b>			
Resistance to Household Chemical	IS 13630 Part-8	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

PACKING DETAILS					
DIMENSION (MM)	BOX				
	Tiles/Box	Coverage/Box (Sq. Ft.)	Coverage/Box (Sq. Mtrs.)	Thickness	Approx Box Weight in Kgs.
400x400	5	8.61	0.80	11.8 mm	20
300x300	8	7.75	0.72	9.5 mm	16

## Technical Specifications

### Planks SVT / 200 x 1200 mm

PROPERTIES	TEST METHOD	IS 15622:2017 GROUP - B I b	Di Terra Value
<b>DIMENSION &amp; SURFACE QUALITY</b>			
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.20%
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be from visible surface defects	Min. of 95 % of tiles shall be from visible surface defects
<b>PHYSICAL PROPERTIES</b>			
Water Absorption	IS 13630 Part-2	Avg. 0.08 ≤ E% ≤ 3%, Individual - 3.3 % max.	Less than 2%
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 30 N/mm, Ind.-27 N/mm	Avg. 35 N/mm
Breaking strength	IS 13630 Part-6	Thickness ≥ 7.5mm - 1100N	Thickness ≥ 7.5mm - 1800N
Abrasion Resistance (PEI Groups II III IV V)	IS 13630 Part-11	Min. Class II	Min. Class III
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
Bulk Density	IS 13630 Part-2	Min. 2	Min. 2
Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
Frost Resistance	IS 13630 Part-10	Resistant	No damage
Linear Thermal Expansion	IS 13630 Part-4	7x10 <sup>-6</sup> K <sup>-1</sup> Max.	7x10 <sup>-6</sup> K <sup>-1</sup> Max.
<b>CHEMICAL PROPERTIES</b>			
Resistance to Household Chemical	IS 13630 Part-8	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

PACKING DETAILS					
DIMENSION (MM)	BOX				
	Tiles/Box	Coverage/Box (Sq. Ft.)	Coverage/Box (Sq. Mtrs.)	Thickness	Approx Box Weight in Kgs.
200x1200	5	12.91	1.19	10 mm	26.5

NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

www.**DiTerra**.in



**DiTerra**

Setting Trends >>>>

Surfaces | Adhesives | Bathware

Sales & Marketing Office:

**Netra India Global**, #1106, 11th Floor, Goodwill Infinity, Plot No. E / 3A, Sector 12, Khargar,  
Navi Mumbai 410210, Maharashtra, INDIA.

**TOLL-FREE:** 1800 123 9808, **E:** info@diterra.in, **W:** www.diterra.in