

Setting Trends

*high strength.
exceptional quality.
numerous applications.*



ADHESIVES, GROUTS, WATER PROOFING, TILE CARE & ALLIED PRODUCTS

ADHESIVE

CP - 8	04
SL - 7	06
GD - 6	06

GROUT

EPOXY GROUT	08
TILE GROUT	09
SILICONE GROUT	10
GROUT ADMIX FLEXI	11

WATERPROOFING

LW +	13
LATEX COAT 800	14

TILE CARE

TILE SHINER	16
-------------	----

ACCESSORIES

TILE SPACER	18
TILE LEVELER	19
TROWEL	20



ADHESIVE



CP - 8

GREY FLOOR TILES ADHESIVE



PRODUCT DETAILS

- . Ready to use
- . Saves time & increases productivity
- . Excellent adhesion & low shrinkage
- . Floor and Wall internal use
- . Wall tiles up to 12"X18" size

APPLICATIONS

- . For porous tiles of all types & natural stones
- . For internal floor & wall

PACKING

20 kg.

Sales & Marketing Office:
Netra India Global, #906, Atlanta Tower, Gulbai Tekra, C.G. Road, Ahmedabad,
Gujarat - 380006, INDIA.
TOLL-FREE: 1800 123 9808, E: info@diterra.in, W: www.diterra.in



SL - 7

GREY FLOOR TILES ADHESIVE



PRODUCT DETAILS

- Ready to use
- Saves time & increases productivity
- Excellent adhesion & low shrinkage
- Floor tiles internal & external use
- Wall tiles up to 4x2 size

APPLICATIONS

- For porous tiles of all types & natural stones
- For internal floor & wall

PACKING

20 kg.

Sales & Marketing Office:
Netra India Global, #906, Atlanta Tower, Gulbai Tekra, C.G. Road, Ahmedabad,
Gujarat - 380006, INDIA.
TOLL-FREE: 1800 123 9808, E: info@diterra.in, W: www.diterra.in



GD - 6

WHITE FLOOR TILES ADHESIVE



PRODUCT DETAILS


- Ready to use
- Saves time & increases productivity
 - Excellent adhesion & low shrinkage
 - For external floor & walls
 - For all types of tiles & natural stones
 - use for tile on tile, granite marble
 - For external / internal walls & floors tiles
 - Suitable for areas prone to vibration
 - Any size of tiles & stones

APPLICATIONS

For internal & external all types of tiles, stones, granite & marble

PACKING

20 kg.



Sales & Marketing Office:
Netra India Global, #906, Atlanta Tower, Gulbai Tekra, C.G. Road, Ahmedabad,
Gujarat - 380006, INDIA.
TOLL-FREE: 1800 123 9808, E: info@diterra.in, W: www.diterra.in

GROUT



EPOXY GROUT



PRODUCT DETAILS

EPOXY GROUT is a stain free, colour-fast, chemical resistant, 100% solid epoxy grout for ceramic tile, vitrified tile, marble and stone.

APPLICATIONS

EPOXY GROUT is ideally suited for residential and commercial installations where materials must resist physical abuse, shock and chemical attack.

COVERAGE

Varies as per application

PACKING

1 kg. & 5 kg.



TILE GROUT



PRODUCT DETAILS

Affixer Tile Grout is a high quality fine, polymer modified, water-resistant, cement - based joint filler it's can be used grouting glaze wall tiles, mosaics, vitrified & fully vitrified tiles, floor tiles, industrial floor tiles, etc.

Note: where chemical resistance is hygienic and sterile, it is important use Epoxy Grout

APPLICATIONS

- Specially formulated for wet or submerged grouting applications such as swimming pool, bathrooms, toilets, fountains and kitchen areas.
- It can be used for external and internal areas.
- It is used in residential and commercial areas.
- Application up to joint width of 2-10mm.
- It is excellent for highly glazed tiles to give a smooth and watertight joints which when set will be both water and mould resistant.

COVERAGE


Varies as per application

PACKING

1 kg.

COLOURS

	White		Magenta		C. Brown
	Ivory		B. Beige		Black
	Grey		R. Brown		Terracotta
	T. Blue		Bottle Green		Jesalmer
	Pink		Sor. Blue		



NORMAL SERIES

- 001 Bright White
- 002 Quarry Red
- 003 Silk (Ivory)
- 004 Almond
- 007 Dusty Rose
- 008 Parchment
- 011 Sandstone
- 013 Midnight Black
- 014 Mocha
- 016 Burgundy

NORMAL SERIES

- 017 Light Green
- 018 Silver Shadow
- 019 State Grey
- 020 Natural Grey
- 022 Platinum
- 023 Raven
- 025 Canyon Red
- 026 Mayan Red
- 027 Sable
- 028 Hemp

NORMAL SERIES

- 029 Ivy
- 030 Sierra Sunrise
- 031 Inca Gold
- 032 Sage
- 033 Saltillo
- 034 Aqua Blue
- 035 Sapphire
- 038 Spectra Pink
- 039 Lemon Yellow
- 042 Italian Tera Cotta

SPARKLE SERIES

SPARKLE SERIES



501 Light Wheat Gold



502 Amazon Red Gold



503 Dark Chocolate Gold



504 Spring Green Gold



505 Ash Grey Gold



506 Serene Black Gold



507 Majestic Sunrise Gold



601 Majestic Sunrise Silver



602 Amazon Red Silver



603 Dark Chocolate Silver



604 Light Wheat Silver



605 Ash Grey Silver



606 Serene Black Silver



607 Ocean Blue Silver



701 Light Wheat Copper



702 Amazon Red Copper



703 Dark Chocolate Copper



704 Desert Sand Copper



705 Ash Grey Copper



706 Serene Black Copper

Note: Shown shades are maybe not accurate.

SILICONE GROUT



PRODUCT DETAILS

AFFIXER SILICONE GROUT is a High Polymer based fine powder consisting of portland cement, specially selected polymer, properly selected & graded fine fillers, additives and inorganic chemicals. It is used for grouting of tiles, stones, marble joints & edges because it has water repellency properties, excellent adhesion (high bonding strength), soft consistency, workability and seals joint permanently. It is non-shrinking, non-toxic and odourless grout used for sealing of swimming pool & water tank joints as well.

APPLICATIONS

AFFIXER SILICONE GROUT is used for grouting of ceramic tiles, marbles, natural stones and edges. It can be used for external and internal areas.

COVERAGE

Varies as per application

COLOURS

White, Ivory, C. Brown & Black

PACKING

1 Kg. & 2 Kg.



GROUT ADMIX FLEXI



PRODUCT DETAILS

Affixer Grout Admix is specially designed Latex admix to be used with Sanded & Unsanded Grout.

APPLICATIONS

It improves the performance of Portland Cement grouts for all type of ceramic tile, brick, marble, natural stone and agglomerate stone installations.

COVERAGE

Varies as per application

PACKING

200 ml. & 400 ml.

WATERPROOFING



WATERPROOFING PLUS (LW+)



PRODUCT DETAILS

- Waterproofs concrete during the construction stage.
- Improves workability.
- Avoids cracking.
- Protect concrete from corrosion.
- WP+ should be used in concrete, plaster and mortar in all the areas of house.
- Mix 200 ml of wp+ with every 50 kg bag of cement.

APPLICATIONS

AFFIXER WP PLUS is used for waterproofing of concrete and mortar in RCC columns, beams, basements, roof slabs and screeds, water tanks & water retaining structures, external plastering, bathrooms and balconies, sumps and drains.

COVERAGE

Varies as per application

PACKING

200 ml., 500 ml., 1 Ltr., 10 Ltr., & 20 Ltr.



LATEX COAT 800



PRODUCT DETAILS

Applications in waterproofing of sunken portions of Terrace, Toilet & Bathroom, Chajja, Lift Pit, Balcony and Staircase.

APPLICATIONS

- As bond coating Plaster to plaster, concrete to concrete. For plaster over brick masonry
- As waterproof repair plaster
- As Crack repair Plaster cracks more than 5 mm. in gaps developed between masonry and RCC members.
- As coating for prevention of corrosion in rebars

COVERAGE

Varies as per application

PACKING

250 ml., 500 ml., 1 Ltr., 10 Ltr., & 20 Ltr.





TILE CARE

TILE SHINER



PRODUCT DETAILS

TILE is a fast acting acid based cleaner for regular cleaning of dirt and stains on tile surfaces. TILE SHINER is designed for daily maintenance of tiles. It is ideal for interior and exterior use.

APPLICATIONS

Unglazed Ceramic Tiles, Glazed Ceramic Tiles, Vitrified Tiles, Porcelain Tiles & Glass

COVERAGE

Varies as per application

PACKING

500 ml. & 1 Ltr.





ACCESSORIES



TILE SPACER



PRODUCT DETAILS

2,3,4,5,6,8,10 MM

APPLICATIONS

Walls, Floors, Interiors, Exteriors, Dry & Wet areas, Showers, Swimming Pools

PACKING

50 pcs. & 100 pcs.



TILE LEVELLER



PRODUCT DETAILS

Clips and Wedges.
Clips can be used only once and are not reusable.
Reusable wedge for tile leveling.

APPLICATIONS

Level the first tile. Put the Clip into the tile bottom. Keep proper distance according to the tile specifications, or place in the corner of the tile. Using a rubber hammer to strike the tile. At the same time, Move wedge inside the clip to press down until two tiles are in level. Wait for 24 hours or until adhesive get proper dry. then break clip by foot.

COVERAGE

Varies as per application

PACKING

50 pcs.



NOTCHED TROWEL



PRODUCT

While using thin-set adhesives to fix tiles and stones, a notched trowel plays a vital role.

APPLICATIONS

If you use notch trowel while using thin-set adhesives you can avoid issues, such as hollow sounds, cracks, chipping of tiles, tenting of tiles, lippage and de-bonding of tiles.

PACKING

LOOSE PIC .





Sales & Marketing Office:
Netra India Global, #906, Atlanta Tower, Gulbai Tekra, C.G. Road, Ahmedabad,
Gujarat - 380006, INDIA.
TOLL-FREE: 1800 123 9808, E: info@diterra.in, W: www.diterra.in