

Setting Trends



*new formats.
myriad finishes.
appealing designs.*

Di Terra
Setting Trends >>>>
Surfaces | Adhesives | Bathware

VITRIFIED FLOOR SURFACES

Di Terra

Surfaces for a spectrum of spaces



Di Terra

Aesthetics plus good sense.

Every **Di Terra** product is made of rich, earthy raw materials and crafted using the latest technology in the industry.

Similarly, every **Di Terra** product is designed to be aesthetically pleasing. And is selected with love, care, & diligence. The effort that goes into carefully curating a range to offer you the widest selection in terms of design and price is akin to childbirth; joyful in spite of the pain.

Brand **Di Terra** is committed to environmental protection and adopts all possible green measures to contribute to a safer earth for generations to come.



Di Terra

Enjoy Di Experience

Di Terra would give you the thrill of creating spaces to energize yourself, entertain your family, impress your friends or elevate work performance to a new level. The creativity and energy imbued in each **Di Terra** tile is sure to give any activity a perfect mood-lift.

Di Terra is committed to deliver a quality product range supported by a well-oiled operation and a service team eager to meet any challenge in providing a top-class customer experience.

Di Terra

All Weather Tile Portfolio

- (1) Full Body Vitrified
- (2) Glazed Vitrified
- (3) Semi Vitrified Tiles
- (4) Ceramic

Di Terra's Utility Range addresses every possible requirement for home interiors. Which means that there is a tile customized for every specific use; bathroom, kitchen, bedroom, living room, drawing room, outhouse wall elevation, parking and more.

The list is exhaustive and unending, but with innovations surfacing continuously, the range of special purpose products grows with every passing day.

PRODUCT TYPE / CATEGORY

- | | |
|---------------------------------|----------------|
| VITRIFIED / FULLY PORCELAIN | GLAZED SURFACE |
| SEMI-VITRIFIED / SEMI PORCELAIN | DOUBLE CHARGED |
| CERAMIC WALL TILES | FULL BODY |
| CERAMIC FLOOR TILES | COLOUR BODY |

PRODUCT FINISH

- | | | |
|---------|------------------------------------|------------|
| CARVING | HIGH GLOSS POLISHED - DARK COLOURS | |
| FROST | HIGH GLOSS POLISHED | |
| VELVET | POLISHED - GLOSS | |
| LAPATO | SATIN / SMOOTH | |
| SUGAR | MATT | STRUCTURED |

PRODUCT APPLICATIONS

- | | | |
|--------------|------|-------|
| WALL / FLOOR | WALL | FLOOR |
|--------------|------|-------|

RANDOMNESS IN DESIGN / SHADE

- | | |
|-----------------------|-----------------------|
| V1 UNIFORM APPEARANCE | V3 MODERATE VARIATION |
| V2 SLIGHT VARIATION | V4 HUGE VARIATION |

PACKING DETAILS

- | | |
|---------------|---------------------------|
| UNITS PER BOX | SQM AREA COVERAGE PER BOX |
|---------------|---------------------------|

OTHERS FEATURES

- | | |
|------------------|-------------------------------------|
| DIGITAL PRINTING | RECTIFIED EDGES |
| ENDLESS | 03 faces NUMBER OF DESIGNS / SHADES |

SIZES

1200x1800 mm
Scintillating slabs

800x1600 mm
Exotic mini slabs

600x1200 mm
Stylish surfaces

200x1200 mm
Natural wood planks

600x600 mm
Perfect square

400x400 mm
Solid parking

300x300 mm
Solid parking

Full Body Tiles
600x1200, 600x600 mm
Built for heavy traffic

Technical Specifications

Pages

01-20

21-36

37-52

53-58

59-64

65-68

69-72

73-80

81-86

* Product colours in the catalogue are as accurate as printing process allows. Actual product may also vary due to continuous product improvements. Please check actual product sample before making final selection. Di Terra reserves the right to introduce, without any notice any modifications deemed necessary.

**1200
X
1800
mm**

Scintillating Slabs

Seamless, beautiful and stylish appearance in a larger format. Vitrified tiles for huge commercial complexes, public places, hotels and luxury residential areas.

Available in Carving, Frost, High Gloss Polished, Gloss Polished and Matt finishes to suit different spaces.

W: SELENITE TAUPE & F: SELENITE DOVE

Carving Surface

Di SELENITE TAUPE
1200 x 1800 mm



Di SELENITE DOVE
1200 x 1800 mm




Carving Surface

Di SELENITE BLACK
1200 x 1800 mm




Di TUNDRA GREY
1200 x 1800 mm





W & F: FROST BIANCO GIULIA

Di FROST BIANCO GIULIA
1200 x 1800 mm



Di MARMOREAL TAUPE
1200 x 1800 mm



Frost Surface

Di FROST AUGUSTUS BIANCO
1200 x 1800 mm



Di OLIVIAN MARFIL TAUPE
1200 x 1800 mm



Di FROST GENEVA GREY
1200 x 1800 mm



Di CALACATTA LINCON GOLD
1200 x 1800 mm



Frost Surface

Dark High Gloss Surface

Di GREY GENEVA HG
1200 x 1800 mm



Di NORDIC BRECICA NIGRA
1200 x 1800 mm



Dark High Gloss Surface



W & F: GREY GENEVA HG

Dark High Gloss Surface

High Gloss Surface

Di VOLTERRA SILVER

1200 x 1800 mm



Di MISTRAL BEIGE

1200 x 1800 mm



Di SILVENIA BRESCICA

1200 x 1800 mm



Di CREAM MISTO

1200 x 1800 mm




High Gloss Surface




F: PERSIAN ONYX

High Gloss Surface

Di PERSIAN ONYX
1200 x 1800 mm



Di BIANCO AUGUSTUS HG
1200 x 1800 mm



High Gloss Surface

Di IZMIR MARBLELLA
1200 x 1800 mm



Di MARCUS STONE
1200 x 1800 mm



Di GRIC HAMILCAR
1200 x 1800 mm



Di CATALONIA BEIGE
1200 x 1800 mm



High Gloss Surface

Di GRIC HAMILCAR
1200 x 1800 mm



Di CATALONIA BEIGE
1200 x 1800 mm



Gloss Surface

Di CAROLINA MARMI WHITE
1200 x 1800 mm




Di CAROLINA MARMI CREAMA
1200 x 1800 mm



Gloss Surface

Di GIULIA BIANCO
1200 x 1800 mm



Di INTENSE STATUARIO WHITE
1200 x 1800 mm



Gloss Surface

Matt Surface

Di BABYLON BEIGE

1200 x 1800 mm



Di CALDIA CALACATTA

1200 x 1800 mm



Di GIZA DARK BROWN

1200 x 1800 mm



Di CORENO PERLATO CREAM

1200 x 1800 mm





**800
X
1600
mm**

Exotic smart slabs

Gorgeous look on an expanded canvas, made to suit showrooms, shopping malls, offices, high-end residential premises which add glamour to lifestyles.

Available in Carving, Velvet, High Gloss Polished, Gloss Polished and Matt finishes for myriad applications.

W: FIOR DI BOSCO WHITE & F: FIOR DI BOSCO VERDE

Carving Endless Surface

Di CALACATTA DORATO
800 X 1600 MM



Di CARVING INTENSE CALACATTA GOLD
800 X 1600 MM



Di CARVING BRECCIA INGENIOUS
800 X 1600 MM



Carving Surface

Di CALACATTA EXTREMO
800 X 1600 MM



Di GLEN GREY
800 X 1600 MM



Di VIBRANT MARFIL GREY
800 X 1600 MM



Carving Surface

Di FIOR DI BOSCO WHITE

800 X 1600 MM



Di FIOR DI BOSCO VERDE

800 X 1600 MM



Di OASIS BEIGE

800 X 1600 MM



High Gloss Endless Surface



W & F: CALACATTA BORGHINI

High Gloss Endless Surface

Di HG CALACATTA INTENSE GOLD
800 X 1600 MM



Di INGENIOUS BRECCIA HG
800 X 1600 MM



Di JULIAN MARVEL TAN
800 X 1600 MM



Velvet Surface




F: VELVET MARBIER GRIGIO

Velvet Surface

Di VELVET ALGERIA BIANCO
800 X 1600 MM



Di VELVET STATURIO VENETO
800 X 1600 MM



Di VELVET MARBIER GRIGIO
800 X 1600 MM



High Gloss Surface

Di LILAC SILVER
800 X 1600 MM



Di ALGERIA CREAM
800 X 1600 MM



Di SIBERIA BIANCO
800 X 1600 MM



High Gloss Surface



F: LA MAISON BIANCO

High Gloss Surface

Di CRACKLE BRECCIA SILVER
800 X 1600 MM



Di LA MAISON BIANCO
800 X 1600 MM



Di RAVINE BEIGE
800 X 1600 MM



High Gloss Surface


Di PERLINO CLASSICA CREAM

800 X 1600 MM



Di CALACATTA GRANDE GOLD

800 X 1600 MM



Di THUNDER BEIGE

800 X 1600 MM



High Gloss Surface

Di MIRAGE NERO

800 X 1600 MM



Di VIENNA CLASSICO GREY

800 X 1600 MM




Di VIENNA CLASSICO BEIGE

800 X 1600 MM



Matt Surface



W: CITADEL ASH & F: CITADEL BIANCO

Matt Surface

Di CITADEL BEIGE
800 X 1600 MM



Di CITADEL BIANCO
800 X 1600 MM



Di CITADEL ASH
800 X 1600 MM



**600
X
1200
mm**

Stylish surfaces

The most popular and convenient fit for every mid-size space. Neither too large nor too small, these tiles are just the perfect size. Being a first pick for designer fraternity, Di Terra offers host of choices in this size.

Available in Carving, Lapato, High Gloss Polished, Standard Polished, Structure and Matt finishes for varied uses.

W: BRITISH WILLIAM LIGHT GREY & F: BRITISH WILLIAM DARK GREY

Carving Surface

Di SWAMPY MARVEL WHITE
600 X 1200 MM



Di PALERMO TIMELESS WHITE
600 X 1200 MM




Di CEYLON EBONY RED
600 X 1200 MM



Di CEYLON EBONY CEDAR
600 X 1200 MM




Di BRITISH WILLIAM DARK GREY
600 X 1200 MM



Di BRITISH WILLIAM LIGHT GREY
600 X 1200 MM



Di LEVANTO BROWN
600 X 1200 MM



Di CRYSTAL ORO CLAG
600 X 1200 MM




Carving Surface

Di IPEROS ICE BLUE
600 X 1200 MM



Di NEO SATVARIO WHITE
600 X 1200 MM



Di CALACATTA VAGIL ROSATO
600 X 1200 MM




Di QUARTZ FLAKES WHITE
600 X 1200 MM



Vibrant Surface

Di VOLGA BLUE
600 X 1200 MM




Di LAVA BROWN
600 X 1200 MM



Di IRIS ONICE GREEN
600 X 1200 MM



Di EXUMA BLUE
600 X 1200 MM




High Gloss Surface




W & F: NERO MARQUINA

High Gloss Surface


Di NERO MARQUINA
600 X 1200 MM




Di SAINT LAURENT CHESTNUT
600 X 1200 MM



Di RIFT NEGRO
600 X 1200 MM




Di MARMOR BLEND DORATO
600 X 1200 MM




Di CARBONICA BLACK
600 X 1200 MM / VIBRANT



Di CARBONICA BIANCO
600 X 1200 MM



Di PORTORO VENERE
600 X 1200 MM



Di DYNA ANTIQUO BEIGE
600 X 1200 MM





W: LIVONICA LIGHT GREY & F: LIVONICA DARK GREY

Di LIVONICA DARK GREY

600 X 1200 MM



Di LIVONICA LIGHT GREY

600 X 1200 MM



Di DIANO ROYALE BEIGE

600 X 1200 MM




Di NOCHE TRAVERTINE

600 X 1200 MM




Di MARIANA GREY

600 X 1200 MM



Di MARIANA WHITE

600 X 1200 MM



Di DECENT DIANO BEIGE

600 X 1200 MM



Di ONICE WONDERLAND

600 X 1200 MM



Gloss Surface

Di ALBANIA SMOKE

600 X 1200 MM



Di ALBANIA GRIGIO

600 X 1200 MM



Di ALBANIA BEIGE

600 X 1200 MM



Di CANBERRA BEIGE

600 X 1200 MM



Di CANBERRA TAUPE

600 X 1200 MM



Di CANBERRA BROWN

600 X 1200 MM



Di ICY BIANCO

600 X 1200 MM



Di CANNA MARBELLA WHITE

600 X 1200 MM



Gloss Surface



W & F: CANNA MARBELLA WHITE

Gloss Surface

Di CREMA MARFIL EL COTO

600 X 1200 MM



Di ANTONIO WHITE

600 X 1200 MM




Di TALOS GREY

600 X 1200 MM



Di COBALT STONE

600 X 1200 MM



Di TABRIZ DOVE

600 X 1200 MM



Di TABRIZ GRIS

600 X 1200 MM



Di TABRIZ TAUPE

600 X 1200 MM



Di SEPIAN STATUARIO

600 X 1200 MM



Gloss Surface



W & F: CREMA MARFIL EL COTO

Matt Surface




W: MULTI-MOZAIC CARBON & F: STARC GREY

Matt Surface


Di MOZART LIGHT GREY

600 X 1200 MM



Di MOZART DARK GREY

600 X 1200 MM



Di TACTILE BIANCO

600 X 1200 MM



Di MULTI-MOZAIC CARBON

600 X 1200 MM



Di HORIZON NOIR

600 X 1200 MM



Di STARK GREY

600 X 1200 MM



Di MULTI-GRAIN SLATE

600 X 1200 MM



Di MULTI-GRAIN BISQUE

600 X 1200 MM



Matt Surface


Di LANDSCAPE AZUL
600 X 1200 MM



Di LANDSCAPE COPPER
600 X 1200 MM




Di LANDSCAPE NERO
600 X 1200 MM



Di LANDSCAPE BRUNO
600 X 1200 MM



Di LANDSCAPE TAUPE
600 X 1200 MM



Di SANTO SLATE
600 X 1200 MM




Di NATURAL TEAK
600 X 1200 MM



Di BEAVER OAK
600 X 1200 MM



Matt Surface



W: LANDSCAPE COPPER & F: LANDSCAPE TAUPE



**200
X
1200
mm**

Natural wood planks

Fascinating look, matchless beauty of rectangular strips for swimming pool deck, facades, gazebo, elevation, interior wall, bedroom floor, hotels and resorts. Perfect replacement of wooden flooring.

Available in matt and structured finishes to give an authentic wooden look.

F: WELSH TIMBER BEIGE

Matt Surface

Di FIERY WOOD
200 X 1200 MM / MATT



Di BURMESE TEAK
200 X 1200 MM / MATT



Di Balsa Wood Gris
200 X 1200 MM / MATT



Di BEACH WOOD HONEY
200 X 1200 MM / MATT



Di WOOD FABRICANO
200 X 1200 MM / MATT



Di BLENDED TIMBER BEIGE
200 X 1200 MM / MATT



Di LEGNO COPPER
200 X 1200 MM / MATT



Di LEGNO BEIGE
200 X 1200 MM / MATT



Matt & Structured Surface

Di CELTIS WOOD TAN
200 X 1200 MM / MATT



Di VICTORIAN TIMBER
200 X 1200 MM / MATT



Di WELSH TIMBER BEIGE
200 X 1200 MM / STRUCTURED



Di WELSH TIMBER ASH
200 X 1200 MM / STRUCTURED



Structured Surface

Di JAVA WOOD DARK TAN
200 X 1200 MM / STRUCTURED



Di JAVA WOOD HONEY
200 X 1200 MM / STRUCTURED



Di SAPELE WOOD BROWN
200 X 1200 MM / STRUCTURED



Di PITCH PINE BEIGE
200 X 1200 MM / STRUCTURED





**600
X
600
mm**

Perfect square

Just perfect for every mid-size area application, available in multiple designs be it marble, stone, wood or geometric. Its value for money proposition makes it first choice for builders, contractors and home makers.

Available in Gloss Polished and matt finishes.

Glossy Surface

Di SYONA BROWN
600 X 600 MM



08
faces

Di CREMA ROYALE
600 X 600 MM



08
faces

Di BLITZEN TAN
600 X 600 MM



04
faces

Di STYLO ASH
600 X 600 MM



08
faces

Di ONYX ESTEEM
600 X 600 MM



04
faces

Di SEPIAN STATUARIO
600 X 600 MM



08
faces

Di SANDCREEK CREMA
600 X 600 MM



08
faces

Di BOTTO BEIGE
600 X 600 MM



08
faces

Di STATUARIO NATURAL
600 X 600 MM



08
faces

Di ALBANIA BEIGE
600 X 600 MM



08
faces

Di ALBANIA SMOKE
600 X 600 MM



08
faces


Di ALBANIA GRIGIO
600 X 600 MM



08
faces



Glossy Surface



F: BLITZEN TAN

Gloss Surface

Di CANBERRA BEIGE
600 X 600 MM



Di CANBERRA BROWN
600 X 600 MM



Di CANBERRA TAUPE
600 X 600 MM



Di LIVONICA LIGHT GREY
600 X 600 MM



Di LIVONICA DARK GREY
600 X 600 MM



Di HAMBURG SILVER
600 X 600 MM



Di ERAMOSA NATURAL
600 X 600 MM



Di ICY BIANCO
600 X 600 MM



Di DECENT DIANO BEIGE
600 X 600 MM



Di TABRIZ DOVE
600 X 600 MM



Di TABRIZ TAUPE
600 X 600 MM



Di TABRIZ GRIS
600 X 600 MM




Matt Surface

Di LANDSCAPE TAUPE
600 X 600 MM



Di LANDSCAPE COPPER
600 X 600 MM




Di LANDSCAPE BRUNO
600 X 600 MM



Di LANDSCAPE AZUL
600 X 600 MM



Di LANDSCAPE NERO
600 X 600 MM



Di CONCRETE BIANCO
600 X 600 MM



Di MULTI-GRAIN BROWN
600 X 600 MM



Di MULTI-GRAIN GREY
600 X 600 MM




Di MULTI-MOZAIC
600 X 600 MM



Di MOZART LIGHT GREY
600 X 600 MM



Di MOZART DARK GREY
600 X 600 MM



Di HORIZON NOIR
600 X 600 MM





**400
X
400
mm**

Solid parking

Sturdy enough to withstand exterior environment and traffic, a blend of stone, wooden, rustic design and pattern in a durable vitreous body. Suitable for small and mid-size areas like balconies, terrace, porch, veranda, gazebo, parking, garden path & wash areas.

Available in plain and structured finish to suit outdoor applications.

F: TRECCIA BROWN

Structured Surface

Di BRICK WOOD FUSION
400 X 400 MM / STRUCTURED




Di TRECCIA BROWN
400 X 400 MM / STRUCTURED



Di AGRA FORT RUST
400 X 400 MM / STRUCTURED



Di BEACH SAND LIGHT
400 X 400 MM / STRUCTURED



Di BEACH SAND DARK
400 X 400 MM / STRUCTURED



Di BEACH SAND BLEND
400 X 400 MM / STRUCTURED



Di SINTRA CREAM
400 X 400 MM / STRUCTURED




Di SINTRA BEIGE
400 X 400 MM / STRUCTURED



Di SAN MARCO FUSION
400 X 400 MM / STRUCTURED



Di NEXOS GREY
400 X 400 MM / STRUCTURED



Di NEXOS CARBON
400 X 400 MM / STRUCTURED



Di TERNET FUSION
400 X 400 MM / STRUCTURED



Matt & Structured Surface


Di DUNA SAND
400 X 400 MM / MATT



Di DUNA BRONZE
400 X 400 MM / MATT




Di KREIS RUST
400 X 400 MM / STRUCTURED




Di TOPOLA MOSAIC CAMEL
400 X 400 MM / MATT



Di TOPOLA MOSAIC COCOA
400 X 400 MM / MATT




Di CODOL WOOD
400 X 400 MM / STRUCTURED




Di CONVEN GREY
400 X 400 MM / STRUCTURED



Di DECK WOOD ALMOND
400 X 400 MM / STRUCTURED



Di PRAZA BROWN
400 X 400 MM / STRUCTURED



Di SILESIA GREY
400 X 400 MM / STRUCTURED



Di SILESIA RUST
400 X 400 MM / STRUCTURED



Di ESAGONO RUST
400 X 400 MM / STRUCTURED





**300
X
300
mm**

Solid parking

Beauty on a small scale, well-built to sustain exterior areas with mid traffic conditions, the size has one significant advantage - it can be laid with minimum wastage. Ideal for balcony, porch, terrace, veranda, portico, entrances, gazebo, wash areas and swimming pool sides.

Available plain matt finish and structured matt surface finish.

F: STREAKS SMOKE & STREAKS GREY

Structured Surface

Di SHARDS BIANCO
300 X 300 MM / STRUCTURED



Di SHARDS TAUPE
300 X 300 MM / STRUCTURED



Di SHALE CREAM
300 X 300 MM / STRUCTURED




Di SHALE BEIGE
300 X 300 MM / STRUCTURED




Di LASH CEMENT
300 X 300 MM / STRUCTURED



Di LASH SLATE
300 X 300 MM / STRUCTURED



Di CLOBBER ASH
300 X 300 MM / STRUCTURED



Di CLOBBER CHARCOAL
300 X 300 MM / STRUCTURED



Di STINGER BEIGE
300 X 300 MM / STRUCTURED



Di STINGER RUST
300 X 300 MM / STRUCTURED




Di STREAKS SMOKE
300 X 300 MM / STRUCTURED




Di STREAKS GREY
300 X 300 MM / STRUCTURED




Di VINTAGE BLUE
300 X 300 MM / STRUCTURED



Di VINTAGE BROWN
300 X 300 MM / STRUCTURED



Di SAINT MARK
300 X 300 MM / STRUCTURED



Di BURANO FUSION
300 X 300 MM / STRUCTURED




Di PAVER BLEND
300 X 300 MM / STRUCTURED



Di HEXART
300 X 300 MM / STRUCTURED



Di COBALT STONE
300 X 300 MM / STRUCTURED



Di GRAVEL
300 X 300 MM / STRUCTURED



F: PAVER BLEND

Full-body
600 x 600
600 x 1200
mm

Built for heavy traffic

Among the toughest ever ceramic material with homogeneous composition through out the body to withstand all kind of heavy footfall on the surface. Technically superior tiles also has 16 mm thickness tiles for garden area, parking, public places


Available in matt, polished, structured and lapato finishes.

W & F: ATACAMA VERDE STRUCTURED

Full Body Tiles

Di ATACAMA BIANCO

600 X 1200 MM / LAPATO



Di ATACAMA CHARCOAL

600 X 1200 MM / LAPATO



Di ATACAMA VERDE

600 X 1200 MM / LAPATO




Di ATACAMA NERO

600 X 1200 MM / LAPATO



Di ATACAMA BIANCO

600 X 1200 MM / MATT



Di ATACAMA CHARCOAL

600 X 1200 MM / MATT




Di ATACAMA VERDE

600 X 1200 MM / MATT



Di ATACAMA NERO

600 X 1200 MM / MATT



Full Body Tiles




W & F: ATACAMA VERDE STRUCTURED

Full Body Tiles

Di ATACAMA BIANCO

600 X 1200 MM / POLISHED



Di BLONDE

600 X 1200 MM / MATT




Di ATACAMA VERDE

600 X 1200 MM / POLISHED




Di ATACAMA NERO

600 X 1200 MM / POLISHED



Di ATACAMA BIANCO

600 X 1200 MM / STRUCTURED



Di ATACAMA CHARCOAL

600 X 1200 MM / STRUCTURED



Di ATACAMA VERDE

600 X 1200 MM / STRUCTURED



Di ATACAMA NERO

600 X 1200 MM / STRUCTURED



Full Body Tiles

Di ATACAMA CHARCOAL

600 X 600 MM / MATT



Di ATACAMA CHARCOAL

600 X 600 MM / STRUCTURED




Di BLONDE

600 X 600 MM / MATT



Di ATACAMA VERDE

600 X 600 MM / MATT




Di ATACAMA VERDE

600 X 600 MM / STRUCTURED




Di ATACAMA VERDE

600 X 600 MM / POLISHED



Di ATACAMA NERO

600 X 600 MM / MATT




Di ATACAMA NERO

600 X 600 MM / STRUCTURED



Di ATACAMA NERO

600 X 600 MM / POLISHED



Di ATACAMA BIANCO

600 X 600 MM / MATT



Di ATACAMA BIANCO


600 X 600 MM / STRUCTURED



Di ATACAMA BIANCO

600 X 600 MM / POLISHED






16 mm
THICKNESS

F: RESOLUTE CEMENTO & CHARCOAL

Di RESOLUTE BIANCO
600 X 600 MM / STRUCTURED MATT



Di RESOLUTE CREMA
600 X 600 MM / STRUCTURED MATT



Di RESOLUTE CEMENTO
600 X 600 MM / STRUCTURED MATT



Di RESOLUTE GREY
600 X 600 MM / STRUCTURED MATT



Di RESOLUTE CHARCOAL
600 X 600 MM / STRUCTURED MATT



RESOLUTE VERDE
600 X 600 MM / STRUCTURED MATT



Di RESOLUTE MUSTARD
600 X 600 MM / STRUCTURED MATT



Technical Specifications

GVT / 1200 x 1800 mm / 800 x 1600 / 600 X 1200 / 600 x 600 mm

PROPERTIES	TEST METHOD	IS 15622:2017 GROUP - B I a	Di Terra Value
DIMENSION & SURFACE QUALITY			
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.15%
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES			
Water Absorption	IS 13630 Part-2	Avg. ≤ 0.08 %, Individual - 0.1 %	Avg. ≤ 0.05 %
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm, Ind.-32 N/mm	Avg. 38 N/mm
Breaking strength	IS 13630 Part-6	Thickness < 7.5mm - 700N Thickness ≥ 7.5mm - 1300N	Thickness < 7.5mm - 700N Thickness ≥ 7.5mm - 1500N
Abrasion Resistance (PEI Groups II III IV V)	IS 13630 Part-11	Min. Class II	Min. Class II
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
Frost Resistance	IS 13630 Part-10	Resistant	No damage
Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	6x10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES			
Resistance to Household Chemical	IS 13630 Part-8	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

PACKING DETAILS					
DIMENSION (MM)	BOX				
	Tiles/Box	Coverage/Box (Sq. Ft.)	Coverage/Box (Sq. Mtrs.)	Thickness	Approx Box Weight in Kgs.
1200x1800	2	46.50	4.32	9.0 mm	91.0
800x1600	2	27.56	2.56	9.0 mm	52.5
600x1200	2	15.50	1.44	8.8 mm	27.5
600x600	4	15.50	1.44	8.5 mm	26.5

Technical Specifications

Full Body / 600 X 1200 mm / 600 X 600 mm / 600 X 600 mm (16 mm Thickness)

PROPERTIES	TEST METHOD	IS 15622:2017 GROUP - B I a	Di Terra Value
DIMENSION & SURFACE QUALITY			
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.1%	± 0.1%
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 3.0%
Straightness of Sides (%)	IS 13630 Part-1	± 0.1%	± 0.1%
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.1%	± 0.1%
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.20%
Surface Quality	IS 13630 Part-1	Min. of 95 % of tiles shall be free from visible surface defects	Min. of 95 % of tiles shall be free from visible surface defects
PHYSICAL PROPERTIES			
Water Absorption	IS 13630 Part-2	Avg. ≤ 0.08% Individual - 0.1 %	Avg. ≤ 0.05 %
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 35 N/mm Ind.-32 N/mm	Avg. 40 N/mm
Breaking strength	IS 13630 Part-6	Thickness < 7.5mm - 700N Thickness ≥ 7.5mm - 1300N	Thickness < 7.5mm - 700 N Thickness ≥ 7.5mm - 1500N / 16mm-3800N
Abrasion Resistance (Unglazed Tiles)	IS 13630 Part-11	Max. 145 mm	Max. 125 mm
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
Bulk Density	IS 13630 Part-2	Min. 2.2 g/cc	Min. 2.2 g/cc
Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min.
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
Frost Resistance	IS 13630 Part-10	Resistant	No Damage
Linear Thermal Expansion	IS 13630 Part-4	6X10 ⁻⁶ K ⁻¹ Max.	6x10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES			
Resistance to Household Chemical	IS 13630 Part-8	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

PACKING DETAILS					
DIMENSION (MM)	BOX				
	Tiles/Box	Coverage/Box (Sq. Ft.)	Coverage/Box (Sq. Mtrs.)	Thickness	Approx Box Weight in Kgs.
600x1200	2	15.50	1.44	10.5 mm	32
600x600	4	15.50	1.44	10.0 mm	30
600x600 (16 mm)	2	7.75	0.72	16.0 mm	26

Technical Specifications

GVT Exterior Floor / Parking / 400 x 400 mm / 300 x 300 mm

PROPERTIES	TEST METHOD	IS 15622:2017 GROUP - B I b	Di Terra Value
DIMENSION & SURFACE QUALITY			
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.15%
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be from visible surface defects	Min. of 95 % of tiles shall be from visible surface defects
PHYSICAL PROPERTIES			
Water Absorption	IS 13630 Part-2	Avg. 0.08 ≤ E% ≤ 3%, Individual - 3.3 % max.	Less than 2%
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 30 N/mm, Ind.-27 N/mm	Avg. 35 N/mm
Breaking strength	IS 13630 Part-6	Thickness ≥ 7.5mm - 1100N	Thickness ≥ 7.5mm - 1800N
Abrasion Resistance (PEI Groups II III IV V)	IS 13630 Part-11	Min. Class II	Min. Class II
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
Bulk Density	IS 13630 Part-2	Min. 2.2	Min. 2.2
Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
Frost Resistance	IS 13630 Part-10	Resistant	No damage
Linear Thermal Expansion	IS 13630 Part-4	7X10 ⁻⁶ K ⁻¹ Max.	7X10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES			
Resistance to Household Chemical	IS 13630 Part-8	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1


PACKING DETAILS					
DIMENSION (MM)	BOX				
	Tiles/Box	Coverage/Box (Sq. Ft.)	Coverage/Box (Sq. Mtrs.)	Thickness	Approx Box Weight in Kgs.
400x400	5	8.61	0.80	11.8 mm	20
300x300	8	7.75	0.72	9.5 mm	16

Technical Specifications

Planks SVT / 200 x 1200 mm

PROPERTIES	TEST METHOD	IS 15622:2017 GROUP - B I b	Di Terra Value
DIMENSION & SURFACE QUALITY			
Deviation in Length and Width (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Deviation in Thickness (%)	IS 13630 Part-1	± 5.0%	± 4.0%
Straightness of Sides (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Diagonal Variation or Rectangularity (%)	IS 13630 Part-1	± 0.10%	± 0.10%
Surface Flatness (%)	IS 13630 Part-1	± 0.50%	± 0.20%
Surface Quality (%)	IS 13630 Part-1	Min. of 95 % of tiles shall be from visible surface defects	Min. of 95 % of tiles shall be from visible surface defects
PHYSICAL PROPERTIES			
Water Absorption	IS 13630 Part-2	Avg. 0.08 ≤ E% ≤ 3%, Individual - 3.3 % max.	Less than 2%
MOR-Modulus of Rupture	IS 13630 Part-6	Avg. 30 N/mm, Ind.-27 N/mm	Avg. 35 N/mm
Breaking strength	IS 13630 Part-6	Thickness ≥ 7.5mm - 1100N	Thickness ≥ 7.5mm - 1800N
Abrasion Resistance (PEI Groups II III IV V)	IS 13630 Part-11	Min. Class II	Min. Class III
MOH's Scratch Hardness	IS 13630 Part-13	Min. 5	Min. 5
Bulk Density	IS 13630 Part-2	Min. 2	Min. 2
Moisture Expansion	IS 13630 Part-3	0.02mm/m	0.02 mm/m
Impact Resistance (COR)	IS 13630 Part-14	0.55 Min.	0.55 Min
Crazing Resistance	IS 13630 Part-9	4 Cycle@7.5 Bar Min.	4 Cycle@7.5 Bar Min.
Thermal Shock Resistance	IS 13630 Part-5	10 Cycle Min.	10 Cycle Min.
Frost Resistance	IS 13630 Part-10	Resistant	No damage
Linear Thermal Expansion	IS 13630 Part-4	7x10 ⁻⁶ K ⁻¹ Max.	7x10 ⁻⁶ K ⁻¹ Max.
CHEMICAL PROPERTIES			
Resistance to Household Chemical	IS 13630 Part-8	Min. AA	Min. AA
Resistance to Stain	IS 13630 Part-8	Min. Class 1	Min. Class 1

PACKING DETAILS					
DIMENSION (MM)	BOX				
	Tiles/Box	Coverage/Box (Sq. Ft.)	Coverage/Box (Sq. Mtrs.)	Thickness	Approx Box Weight in Kgs.
200x1200	5	12.91	1.19	10 mm	26.5



www.**DiTerra**.in



DiTerra
Setting Trends >>>>
Surfaces | Adhesives | Bathware

Sales & Marketing Office:
Netra India Global, #906, Atlanta Tower, Gulbai Tekra, C.G. Road, Ahmedabad,
Gujarat - 380006, INDIA.
TOLL-FREE: 1800 123 9808, E: info@diterra.in, W: www.diterra.in